## Dystrophin minigene constructs


Human dystrophin coding sequence 11058bp

5
귀
αź
2
<b>Ξ</b>
22
23
2
72
2
힔
52
<u> </u>
2
318
1
K.
R16
15
4 R
13 R14 R15 F
R13
12
된
윤
210
6
8
7 R8 R9 R10 R11
2
2
R
조
Q.
S
5
2
1
1
للنا


F/G/ DysM3 (3700bp) ۸2796 Δ3510 Δ3849 Δ3447 Δ3531 Δ4173 Δ3990 - N - [6] R1 | R2 | R3 | R22 | R23 | R24 | 1] | CR -N-開 R1 R2 R22 R23 R24 图 CR N I I RI R2 R3 R24 I CR - N - M R1 R24 M4 CR N B RI BE CR

AAV-CMV-mini-dystrophin AAV-MCK-mini-dystrophin -PolyA -ITR PolyA TTR Dystrophin minigene Dystrophin minigene ITR MCK Promoter TTR CMV Promoter F16.24

*mdx*+∆3990





Just 1881 II. office the second of the first of the second 




union game, many many game and the standard of the standard stand stand stand the standard stands stands the standard st


4/8 **F/G.3** 






F16.4B






F16.5

 $Mdx + \Delta 2796$ 





The fact that th

man and a second second

F166

Lengthening Activation

